



qBittorrent User Guide

by Mario Garon



Content

About qBittorrent	3
License	4
Customizing qBittorrent.....	5
Choosing a language	5
Starting qBittorrent on Windows startup	6
Making qBittorrent your default torrent client.....	6
.....	6
Configuring Download and Connexion Options	7
Changing the default save path	7
Setting rate limits	8
Connecting to a proxy server	9
Setting Connection Limits	10
Adding and deleting torrents.....	11
Adding torrent files	11
Adding torrent links	12
Deleting torrents	12
Managing torrents	13
Choose which files to download from a torrent.....	13
Setting torrents priority	13
Pausing and resuming torrents	15
Opening a torrent's destination folder	15
Recheck torrents integrity	15
Sorting torrents by status	16
Creating Torrents	17
Using RSS Subscriptions	19
Adding RSS subscriptions	19
Removing RSS Subscriptions	20
Updating RSS Subscriptions	20
Adding Download rules	20
Glossary	21
Index	23

About qBittorrent

qBittorrent is an open source Bittorrent client for peer to peer (P2P) file sharing using the Bittorrent protocol.

The Bittorrent protocol allow you to send or receive files in a decentralized manner.

Unlike other Bittorrent clients, qBittorrent is free from malware and publicity. However, we recommend that you be careful when you download files and programs from unknown sources as they can contain dangerous software or illegal material. See Figure 1 on page 3.




Figure 1: About qBittorrent

License

qBittorrent is licensed under the GNU General Public License version 2 with the addition of the following special exception:

In addition, as a special exception, the copyright holders give permission to link this program with the OpenSSL project's "OpenSSL" library (or with modified versions of it that use the same license as the "OpenSSL" library), and distribute the linked executables. You must obey the GNU General Public License in all respects for all of the code used other than "OpenSSL". If you modify file(s), you may extend this exception to your version of the file(s), but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Customizing qBittorent

You have many option to customize qBittorent as you want. You can:

- Choose your language
- Configure qBittorent to launch at startup
- Make qBittorent your default torrent client

Choosing a language

QBittorent is available in multiple languages. By default it will launch in the language of your Operating system. You choose a different the language by:

1. Select **Options** > **Behavior**. See Figure 2 on page 5.
2. Select the language you want from the **Language** list.
3. Restart the application.

qBittorent will launch in the language of your choice.




Figure 2: Options > Behavior

Starting qBittorrent on Windows startup

You can configure qBittorrent to launch on Windows startup.

1. Select **Options**.
The **Options** window will be displayed.
2. Select **Behavior**. See Figure 2 on page 5.
3. Select **Start qBittorrent on Windows startup**.
4. Select **OK**.
qBittorrent will launch on Windows startup.

Making qBittorrent your default torrent client

You can choose qBittorrent as the default program open torrent files and magnet links. After that it qBittorrent will launch every time you open a torrent file or magnet link.

1. Select **Options**.
The **Options** window will be displayed.
2. Select **Behavior**. See Figure 3 on page 6.
3. Select **Use qBittorrent for .torrent files** and **Using Bittorrent for magnet link**.
4. Select **OK**.
qBittorrent is now your default torrent client.




Figure 3: Option>Tools [File Association]

Configuring Download and Connexion Options

Changing the default save path

By default, qBittorrent download all torrents to Downloads. You can choose whatever folder you want as your default folder.

1. Select **Options**.

The **Options** window will be displayed.

2. Select **Downloads**. See Figure 4 on page 7.
3. Next to **Default Save Path**, select **Browse**.

A window will appear.

4. Select the folder you want.
5. Select **OK**.

qBittorrent will download all future torrents you add to the folder you selected.




Figure 4: Option > Downloads

Setting rate limits

By default, qBittorrent does not limit the download or upload speed. If you have a limited connection that can be a problem. You can also schedule alternative rate limits at a specific time of the week or day.

Setting global rate limits:

1. Select **Options**.
The **Options** window will be displayed.
2. Select **Speed**. See Figure 5 on page 9.
3. Enter the download and upload rates limit you want under **Global Rate Limits**.
4. Select **OK**.
qBittorrent will set the speed limit for all future download.

Scheduling alternative rate limits:

1. Select **Options**.
The **Options** window will be displayed.
2. Select **Speed**. See Figure 5 on page 9.
3. Enter the download and upload speeds limit you want under **Alternative Rate Limits**.
4. Select **Schedule the use of alternative rate limits**.
5. Enter the start and end times you want.
6. Select when to schedule the rate limit by choosing from the list.
7. Select **OK**.
qBittorrent will schedule an alternative rate limit at the time you selected.




Figure 5: Option > Speed

Setting connection limits

The number of connection is the number of peers you connect to. The number of uploads slot is the number of peers you allow to download from your computer. Keep By default, qBittorrents sets the following limits, see Figure 6 on page 10:

- Global maximum number of Connections: 500
- Maximum number of connections per Torrent: 100
- Global maximum number of upload slot: 20
- Global maximum number of upload slots per torrents:4

1. Select **Options > Connection.**

Under Connection limits, change the number of connections and upload slots according to your preference.




Figure 6: Connections

Connecting to a proxy server

Connecting to a proxy server allow you to hide your IP Address without losing speed. The proxy Server connect to peers on your behalf. To connect to a proxy sever, you need the host, the port of the server. If the server is secured and requires authentication you will need a username and password.

1. Select **Options > Connection**.
2. Under **Proxy Server**, select the type
 - HTTP
 - SOCKS4
 - SOCKS5
3. Enter the host and the port of the server.
4. Check the following check boxes depending on your needs:
 - If you want to use the proxy server for peer connections, check **Use for peer connection**. Otherwise the proxy connection will only be used for tracker connections.
 - If you want to
 - If the server requires identification check **Authentication** and go to step 5. If not go to step 6.
5. Enter the proxy server's **Username** and **Password**.
6. Select **OK**.

Adding and deleting torrents

Torrent files and links allow you to download files from multiple hosts using the BitTorrent Peer-to-Peer (P2P) protocol. The torrent link will download seeds from all available sources. The more sources are available, the more reliable the transfer.

Adding torrent files

You can add torrent files you download from the Internet in qBittorrent.

1. Select **Add Torrent Files**. See Table 7 on page 11.

The **Windows Explorer** will be displayed.

2. Select the torrent file(s) in **Windows Explorer**.
3. Select the folder where to download the file.
4. Select **OK**.




Figure 7: Adding and Deleting Torrents

Adding torrent links

You can add torrents by inserting the URL directly.

1. Select **Add Torrent Link**. See Figure 7 on page 11.
The **Download from URL** windows will be displayed.
2. Insert the complete address of the torrent link. See Figure 8 on page 12.
Example: <http://mytorrent-test.com/test.torrent>.
3. Select the folder where to download the torrent link.
4. Select **OK**.




Figure 8: Download from URL

Deleting torrents

You can delete torrents that are completed, inactive or incomplete from your list.

1. Select the torrent you want delete.
2. Select **Delete**. See Figure 7 on page 11.
3. Select **also delete the file on the hard disk** if you want to delete the files in the destination folder
4. Select **OK**.

Managing torrents

qBittorrent gives you control over how torrent behaves. You can:

- Choose which files to download from a torrent
- Choose which torrent(s) have priority over others
- Pause and resume torrents
- Open a torrent's destination folder

Choose which files to download from a torrent

You can choose which files to download from a torrent instead of downloading the entire torrent. By default, all the files from a torrent will be downloaded.

1. Select the torrent for which you want to download specific files
A list of files will be listed at the bottom of the screen.
2. Uncheck all the files you don't want to download
qBittorrent won't download the files you unchecked.
3. If there are files you want to download that are unchecked, check them.

Setting torrents priority

To set the torrent priority, you need more than one more torrent. If you only have one torrent, this torrent is going to have top priority. The torrent that has top priority receives the most bandwidth. The torrent with the minimum priority receives the least bandwidth.

1. Select the torrent you want to change priority.
2. Select one of these options depending on what you want to do. See Table 1 on page 13 and Figure 9 on page 14.

Table 1: Torrent Priority

Option	Action
Top Priority	Set the torrent at Top Priority.
Increase Priority	Increases the priority of the torrent.
Lower Priority	Lowers the priority of the torrent.
Minimum Priority	Set the torrent at minimum priority.




Figure 9: Change Torrent Priority

Pausing and resuming torrents

Pausing torrent can allow you to free bandwidth for other tasks. You can resume the download later without having lost any progress.

To pause a torrent:

1. Select the torrent you want to pause. See Figure 10 on page 15.
2. Select **Pause**.

To resume a torrent:

1. Select the torrent you want to resume. See Figure 10 on page 15.
2. Select **Resume**.




Figure 10: Pause and Resume Torrent

Opening a torrent's destination folder

Opening a torrent's folder allow you to see where the torrent files are being downloaded.

1. Select the torrent which folder's you want to open.
2. Press Enter.

Recheck torrents integrity

Checking a torent

Sorting torrents by status

You can select a status to see all torrents that share the same status. The status of the torrent gives you insight on what to do. See Table 2 on page 16 and Figure 11 on page 16.

Table 2: Torrent Status

STATUS	Advice
Downloading	Torrents that are Downloading should complete.
Seeding	Torrents that are Seeding are sharing the files on your computer with other users.
Completed	You can delete the Torrents that are Completed without deleting the files on your drive.
Resumed	Torrent that have resumed after being paused or inactive.
Active	Active torrent are Downloading or Seeding.
Inactive	If an incomplete torrent stays inactive for too long it is possible that the seeds are dead. Delete those torrents if it is the case
Errored	Errored torrents are not working properly. Delete the torrent and find another one




Figure 11: Torrent Status

Creating Torrents

You can create torrents to share files with other users or using the Bittorrent Peer to Peer (P2P) protocol. Other users can then download the files from your computers.

1. Select **Tools > Torrent Creator**.

The **Torrent Creator** windows will displayed.

2. Select **Select File** or **Select Folder**.
3. Select the file(s) or folder(s) you want to share. See Figure 12 on page 17.
4. Select **Private torrent** if you want to make the torrent private.
5. Enter the full address of the torrent trackers you want to add.
6. Enter a comment to describe the content of the torrent.
7. Select **Create Torrent**.

qBittorrent loads the file(s) and creates the torrent.




Figure 12: Torrent Creator

Using RSS Subscriptions

RSS subscriptions allow you download torrents automatically from a website as it is updated. It also gives you access to all the torrents available from the website. By default, the **RSS reader** is not visible, you need to select it from the **View** menu.

1. Select **View > RSS Reader** to display the RSS tab.

The **RSS** tab will be become accessible at all time.

Adding RSS subscriptions

Adding an RSS subscriptions will allow you to receive the feed from the website.

1. Select **The RSS Tab > New Subscription**.

The **Feed URL** windows will be displayed.

2. Enter the URL of the RSS Subscription you want to add.
qBittorrent will display all the torrents you can download from the RSS Subscription.
3. From there, you can either:
 - Download the torrents from the list displayed
 - Add download rules to download torrents automatically




Figure 13: RSS URL

Deleting RSS Subscriptions

Deleting RSS subscriptions you no longer use can save bandwidth and hard drive space. Once a subscription is deleted, qBittorent

1. Select **The RSS Tab**.
2. Right click on the subscription you want to delete and select **Delete**.

The RSS subscription will be deleted and qBittorent will stop downloading torrents from the feed.

Updating RSS Subscriptions

Updating RSS subscription allow you to get new content from the subscription. qBittorent automatically update the feed.

Adding RSS download rules

Adding rules to RSS Subscriptions allows you to download the torrents of files with certain key words automatically. Rules also allow you to omit files with others keywords to further specify the results. You can apply a download rule to multiple RSS Subscriptions.

1. Select the **RSS Tab > Downloader**.
The **RSS Downloader** window will be displayed.
2. Next to **rules**, select **Add**.
The **rule window** will be displayed.
3. Write the name you want to give the rule and select **OK**.
4. Configure the rule
 - a) Check **Use Regular Expression**.
 - b) Next to **Must Contains**, write the keywords to include to filter the results.
 - c) Next to **Must Contains**, write the keywords to include to filter the results.
4. Select the RSS Subscriptions to which the **Rule applies**.
qBittorent will download the files you want automatically.

Deleting RSS download rules

1. From **The RSS Tab**, select **RSS Downloader**.
The **RSS Downloader** windows will be displayed.
2. Select the download rule you want to delete.
The **download rule** will be deleted.

Glossary

A

Availability: Number of copies of a file or folder available.

C

Client: User of the Bittorrent protocol.

H

Health: Percentage of the torrent available from the seeder.

I

Index: A list of torrent files.

L

Leech: Person who download torrents.

M

Magnet link: A link that add torrents directly into a torrent client.

P

Peer: A user that share files with other user on a Peer-to-Peer

Peer-to-Peer (P2P): A network of user sharing files

S

Seeder: User you are sourcing the file from

Status: State of a torrent.

R

RSS Subscription: web feed that allow user to download the latest torrents as soon as they are available.

Rule: Set of conditions that tells which torrent to download

T

Torrent: Torrent file or stream

Tracker: Server that keeps track of all torrent stream.

Index

A

Add Torrent Files 11
Add Torrent Link 12
Adding Download 20

B

Bittorrent client 3

C

Create Torrent 17

D

default torrent client 6
Default torrent client. 6
delete torrent 12

I

Illegal material 3

L

Language 5

M

Magnet link 6
Malware 3

P

Private torrent 17

R

RSS subscription 19

T

Torrent Creator 17, 19, 20

W

Windows startup 6